

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 24
 Name: **Al Peirce Lumber Co., Bayshore Dock.**
 Location: West shore of Coos Bay; Coos Bay, approximately 0.3 mile above foot of Newark Street extended. Datum: MLLW
 Operator: Not operated.
 Owner: Al Peirce Lumber Co.
 Address: Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
 Purpose: Not used.
 Depth Alongside (feet): 32 | | Latitude (decimal): 43.387132
 Total Berthing Space (feet): 506 | | Longitude (decimal): -124.2186
 Remarks: Formerly used for shipment of finished lumber products. Face is in line with face of Ref. No. 25 providing approximately 735 feet of berthing space. Approximately 3 acres of asphalt-surfaced open storage area I
 Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 155 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 18
 Name: **Bohemia Sand and Gravel Dock.**
 Location: North Bend, south shore, above Coos Bay (U.S. Highway 101) Bridge. Datum: MLLW
 Operator: Umpqua division of Bohemia, Inc.
 Owner: Bohemia, Inc.
 Address: Phone:
 Town: North Bend State: OR County: Coos
 Railway Connection: One surface track in storage yard at rear, connects with tracks of Southern Pacific Transportation Co.
 Purpose: Receipt of sand and gravel by barge; mooring company-owned floating equipment.
 Depth Alongside (feet): 8 | | Latitude (decimal): 43.423733
 Total Berthing Space (feet): 500 | | Longitude (decimal): -124.2201
 Remarks: Approximately 12 acres of open storage area is located in rear.□□
 Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 129 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 15
Name: **Cape Arago Lumber Co. Dock.**
Location: Empire, east shore of Coos Bay; Foot of Schetter Avenue extended. Datum: MLLW
Operator: Sause Bros. Ocean Towing Co.
Owner: Cape Arago Lumber Co.
Address: Phone:
Town: Empire State: OR County: Coos
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 43.396526
Total Berthing Space (feet): 635 | | Longitude (decimal): -124.2780
Remarks: Lumber mill in rear had several straddle-type lumber carriers and fork lift trucks. Mill was not in operation at time of survey (1985). Approximately 10 acres of open storage area on and at rear of wharf.

Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 075 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 31
Name: **Central Dock Co. Wharf. Coos Bay Wood Chip Dock.**
Location: Coos Bay, west shore of Coos Bay; Above foot of Hemlock Avenue East extended. Datum: MLLW
Operator: Central Dock Co.
Owner: Central Dock Co.
Address: 1100 North Front Street Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: Surface track in rear connects with tracks of Southern Pacific Transportation Co.
Purpose: Shipment of lumber, logs, paper, woodpulp, and baled scrap metal; receipt and shipment of general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 43.375504
Total Berthing Space (feet): 630 | | Longitude (decimal): -124.2096
Remarks: Face of wharf is in line and contiguous with Ref. No. 30 providing a total of 1,550 feet of continuous berthing space. □

Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 165 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 30
 Name: **Champion International Coos Bay Wood Chip Dock.**
 Location: Coos Bay, west shore of Coos Bay; Below foot of Hemlock Avenue East extended. Datum: MLLW
 Operator: U.S. Plywood, a division of Champion International Corp.
 Owner: Central Dock Co.
 Address: 1360 North Bayshore Drive. Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Surface track in rear connects with tracks of Southern Pacific Transportation Co.
 Purpose: Shipment of wood chips and logs.
 Depth Alongside (feet): 35 | | Latitude (decimal): 43.377953
 Total Berthing Space (feet): 1550 | | Longitude (decimal): -124.2131
 Remarks: Face of wharf is in line and contiguous with Ref. No. 31 providing 1,550 feet of continuous berthing space. One truck dumper with capacity for 8 trucks per hour is served by a receiving pit with chain conveyor and open storage area for wood chips. Logs are handled by ships' gear.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 165 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 25
 Name: **Chevron U.S.A. Wharf.**
 Location: Coos Bay, west shore of Coos Bay; Approximately 0.2 mile below foot of Pine Avenue extended. Datum: MLLW
 Operator: Bassett-Hyland Energy Co.
 Owner: Chevron U.S.A., Inc.
 Address: 2640 North Bayshore Drive Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: One surface track in rear connects with tracks of Southern Pacific Transportation Co.
 Purpose: Receipt of petroleum products; fueling tugs, towboats, and fishing boats.
 Depth Alongside (feet): 32 | | Latitude (decimal): 43.385885
 Total Berthing Space (feet): 190 | | Longitude (decimal): -124.2190
 Remarks: Face is in line with face of Ref. No. 24 providing approximately 735 feet of berthing space. Three 6-, four 4-, and three 2-inch storage tanks in rear, total capacity 61,000 barrels. The 2-inch and two of the 4 used for fueling vessels; two 4-inch pipelines were not in use at time of survey (1985). Three metered pumps (served by one of the 2-inch lines) and one 150- by 50-foot, metal-covered, storage building on wharf. One for Ref. No. 26 is connected to upper end by timber walkway.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 157 Portland District

Port Series No. 33
Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 33
Name: **Coos Bay Iron Works Wharf.**
Location: Coos Bay, west shore of Coos Bay; Between foot of Cedar and Date Avenue East. Datum: MLLW
Operator: Coos Bay Iron Works, Inc.
Owner: Coos Bay Iron Works, Inc.
Address: 896 North Front Street Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: Southern Pacific Transportation Co. tracks at rear of property.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 20 | | Latitude (decimal):
Total Berthing Space (feet): 100 | | Longitude (decimal):
Remarks: Machine and welding shops located in building at rear.□□
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 180 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 28
Name: **Dolphin Terminals Wharf.**
Location: Coos Bay, west shore of Coos Bay; Foot of Kingwood Avenue extended. Datum: MLLW
Operator: Dolphin Terminals.
Owner: Oregon International Port of Coos Bay.
Address: Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
Purpose: Shipment of logs.
Depth Alongside (feet): 34 | | Latitude (decimal): 43.381093
Total Berthing Space (feet): 825 | | Longitude (decimal): -124.2164
Remarks: Logs are handled by ships' gear.□□
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 165 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 14
 Name: **Eureka Fisheries Wharf.**
 Location: Empire, east shore of Coos Bay; Above foot of Newmark Avenue extended. Datum: MLLW
 Operator: Eureka Fisheries, Inc.
 Owner: Eureka Fisheries, Inc.
 Address: 100 Newmark Avenue Phone:
 Town: Empire State: OR County: Coos
 Railway Connection: None.
 Purpose: Receipt of fish; icing fishing boats.
 Depth Alongside (feet): 8 | | Latitude (decimal): 43.394569
 Total Berthing Space (feet): 290 | | Longitude (decimal): -124.2789
 Remarks: Fish-processing and freezer storage facilities on approach.□□
 Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 32
 Name: **Mid-Coast Marine Oregon Corp., West Yard Wharf.**
 Location: Coos Bay, west shore of Coos Bay; Foot of Date Avenue East extended. Datum: MLLW
 Operator: Mid-Coast Marine Oregon Corp., and Southern Oregon Marine, Inc.
 Owner: Mid-Coast Marine Oregon Corp.
 Address: 912 North Front Street Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks at rear of property.
 Purpose: Mooring vessels for repair and outfitting; mooring floating drydock.
 Depth Alongside (feet): 30 | | 30 Latitude (decimal):
 Total Berthing Space (feet): 171 | | 140 Longitude (decimal):
 Remarks: Faces of two sections are in line, providing 311 feet of berthing space. Sections flank 50-foot-wide launching way. One 300- and one 65-ton marine railways located at upper side. 1,000-ton-capacity floating dr lower section and lower end of upper section. Buildings at rear used as welding and wood working shops in connection with repair and construction of various types of small vessels and barges.
 Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 170 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 16
 Name: **North Bay Industrial Park Dock and Slip.**
 Location: West shore of Coos Bay, opposite Empire, 3.5 miles (dock) and 2.6 miles (slip) Datum: MLLW
 below Southern Pacific Tr
 Operator: Not operated.
 Owner: Oregon International Port of Coos Bay.
 Address: Phone:
 Town: North Bend State: OR County: Coos
 Railway Connection: None.
 Purpose: Not used. (See Remarks.)
 Depth Alongside (feet): 25 | 5 | 5 Latitude (decimal): 43.400729
 Total Berthing Space (feet): 210 | 120 | 580 Longitude (decimal): -124.2824
 Remarks: At time of survey (1985), owner planned to lease dock for receipt and shipment of conventional general cargo, and slip for shipment of oil platform modules by barge. Owner planned to install water and electric c Office and storage shed located on dock. One 4-inch pipeline with 1-inch connection for fueling vessels extends from truck connection on shore. Lower side of slip is revetted bank 450 feet long, forming slip 120 feeApproximately 6 acres of open storage area located in rear of slip.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 23
 Name: **Oregon Chip Terminal Wharf.**
 Location: West shore of Coos Bay; North Bend, approximately 800 feet above foot of Newmark Datum: MLLW
 Street extended.
 Operator: Oregon Chip Terminal, Inc.
 Owner: Kanematsu Goshu USA, Inc.
 Address: Foot of Tower Street. Phone:
 Town: North Bend State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
 Purpose: Shipment of wood chips.
 Depth Alongside (feet): 36 | | Latitude (decimal): 43.388687
 Total Berthing Space (feet): 1086 | | Longitude (decimal): -124.2186
 Remarks: Dolphins front steel or concrete-capped, timber bulkheads with solid fill, supporting steel and timber retaining walls surrounding wood chip storage area. Two truck dumpers capable of handling 4 to 6 trucks per h storage areas at rear which have total capacity for 48,000 b.d.u. (bone dry units) of wood chips.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 154 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 13
Name: **Oregon Coast Towing Co. Empire Terminal Wharf.**
Location: Empire, east shore of Coos Bay; Below foot of Newmark Avenue extended. Datum: MLLW
Operator: Oregon Coast Towing Co.
Owner: Oregon Coast Towing Co.
Address: Phone:
Town: Empire State: OR County: Coos
Railway Connection: None.
Purpose: Occasional receipt of petroleum products.
Depth Alongside (feet): 22 | 12 | Latitude (decimal): 43.393976
Total Berthing Space (feet): 316 | 200 | Longitude (decimal): -124.2799
Remarks: Two 6-inch pipelines extend from wharf to 7 storage tanks in rear, total capacity 72,000 barrels.□
Year of Last Survey: 1986 Corps of Eng'rs Waterway Code: 90911 Dock Code: 073 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 22
Name: **Oregon Coast Towing Co., North Bend Terminal Wharf.**
Location: West shore of Coos Bay; North Bend, above foot of Newmark Street extended. Datum: MLLW
Operator: Oregon Coast Towing Co.
Owner: Oregon Coast Towing Co.
Address: Phone:
Town: North Bend State: OR County: Coos
Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
Purpose: Receipt of petroleum products by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 43.391074
Total Berthing Space (feet): 165 | | Longitude (decimal): -124.2173
Remarks: One 8-, two 6-, and one 4-inch pipelines extend from wharf to 13 steel storage tanks at terminal in rear, total capacity 70,600 barrels.□
Year of Last Survey: 1986 Corps of Eng'rs Waterway Code: 90911 Dock Code: 147 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 17
Name: **Roseburg Lumber Co., Wood Chip Dock.**
Location: North Bend, north shore, one mile below Southern Pacific Transportation Co. railroad bridge. Datum: MLLW
Operator: Roseburg Lumber Co.
Owner: Roseburg Lumber Co.
Address: Phone:
Town: North Bend State: OR County: Coos
Railway Connection: One surface track serves rotary car dumper, joins additional plant trackage; connects with tracks of Southern Pacific Transportation Co.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 39 | | Latitude (decimal): 43.425144
Total Berthing Space (feet): 1430 | | Longitude (decimal): -124.256
Remarks: Approximately 20 acres of open storage area in rear for wood chips. Wood chips are received by rail at a rotary car dumper and by truck at a truck dumper or at a receiving pit; all connected via conveyor systems area. Additional open storage area for logs and a wood chip mill also are located in rear.
Year of Last Survey: 1986 Corps of Eng'rs Waterway Code: 90911 Dock Code: 904 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 19
Name: **SeaTerm Services Dock.**
Location: North Bend, west shore of Coos Bay; Between foot of Florida and Connecticut Avenue extended. Datum: MLLW
Operator: SeaTerm Services, Inc.
Owner: Ocean Terminals Co.
Address: Foot of California Avenue Phone:
Town: North Bend State: OR County: Coos
Railway Connection: One platform level track in rear serves west side of large transit shed and connects with tracks of Southern Pacific Transportation Co.
Purpose: Shipment of lumber and conventional and containerized general cargo.
Depth Alongside (feet): 38 | | Latitude (decimal): 43.410502
Total Berthing Space (feet): 1300 | | Longitude (decimal): -124.2187
Remarks: Approximately 4 acres of paved open storage area located in rear. □ □
Year of Last Survey: 1986 Corps of Eng'rs Waterway Code: 90911 Dock Code: 137 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 29
Name: **U.S. Army Corps of Engineers Coos Bay Wharf**
Location: Coos Bay, west shore of Coos Bay; Between foot of Coos Bay Boulevard and Ivy Avenue extended. Datum: MLLW
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 1460 North Bayshore Drive. Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: Surface track in rear connects with tracks of Southern Pacific Transportation Co.
Purpose: Mooring Corps of Engineers' floating equipment.
Depth Alongside (feet): 30 | 5 - 18 | Latitude (decimal): 43.379785
Total Berthing Space (feet): 340 | 60 | Longitude (decimal): -124.2150
Remarks: One 3-inch fueling pipeline extends to face from tank truck connection at inner end of approach. One 40- by 24-foot, metal-covered building in rear used by Corps of Engineers as field office and storage building
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
Waterway: **Coos Bay** Mile: PWD: 27
Name: **U.S. Coast Guard, Coos Bay Wharf.**
Location: Coos Bay, west shore of Coos Bay; Approximately 400 feet south foot of Pine Avenue extended. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: Oregon International Port of Coos Bay.
Address: Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
Purpose: Mooring U.S. Coast Guard cutter Citrus.
Depth Alongside (feet): 18 | | Latitude (decimal): 43.382302
Total Berthing Space (feet): 200 | | Longitude (decimal): -124.2178
Remarks: At time of survey (1985), plans called for lengthening wharf to 100 feet. □ □
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 26
 Name: **Unocal Corp., Marine Dock.**
 Location: Coos Bay, west shore of Coos Bay; Approximately 500 feet below foot of Pine Avenue. Datum: MLLW
 Operator: Unocal Corp.
 Owner: Unocal Corp.
 Address: 2395 North Bayshore Drive Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks along rear of property.
 Purpose: Receipt of petroleum products; fueling tugs, towboats, and fishing boats; occasional bunkering of vessels.
 Depth Alongside (feet): 35 | 35 | 35 Latitude (decimal): 43.384251
 Total Berthing Space (feet): 860 | | Longitude (decimal): -124.2187
 Remarks: Two mooring dolphins below wharf are connected to approach and Ref. No. 26, two above wharf are connected to shore by timber walkways. One metered pump for fueling tugs and towboats on middle section. One 6- be two 4-inch pipelines extend from wharf to 11 steel storage tanks in rear, total capacity 133,000 barrels. One 4- and one 6-inch pipelines were not in use at time of survey (1985).
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 159 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 21
 Name: **Weyerhaeuser Co., Cargo Wharf.**
 Location: North Bend, west shore of Coos Bay; Below foot of Maryland Avenue extended. Datum: MLLW
 Operator: Weyerhaeuser Co.
 Owner: Weyerhaeuser Co.
 Address: 3050 Tremont Avenue. Phone:
 Town: North Bend State: OR County: Coos
 Railway Connection: Surface tracks in rear serve mill and connect with tracks of Southern Pacific Transportation Co.
 Purpose: Shipment of lumber.
 Depth Alongside (feet): 30 - 35 | | Latitude (decimal): 43.40148
 Total Berthing Space (feet): 1440 | | Longitude (decimal): -124.2171
 Remarks: Approximately 15 acres of asphalt-surfaced open storage area at rear of wharf and in mill area for finished lumber. Face of wharf is in line and contiguous with Ref. No. 20. Log lift and log conveyor located ab serve lumber mill and plywood plant.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 145 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos Bay** Mile: PWD: 20
 Name: **Weyerhaeuser Co., Wood Chip Dock.**
 Location: North Bend, west shore of Coos Bay; Approximately 1,200 feet above foot of Virginia Avenue extended. Datum: MLLW
 Operator: Weyerhaeuser Co.
 Owner: Weyerhaeuser Co.
 Address: 3050 Tremont Avenue. Phone:
 Town: North Bend State: OR County: Coos
 Railway Connection: Surface track in rear serves mill and connects with tracks of Southern Pacific Transportation Co.
 Purpose: Shipment of wood chips.
 Depth Alongside (feet): 35 | | Latitude (decimal): 43.404095
 Total Berthing Space (feet): 875 | | Longitude (decimal): -124.2182
 Remarks: Face of wharf is in line and contiguous with Ref. No. 21. One truck dumper with 6-truck-per-hour capacity serves open storage area. Open storage area in rear has capacity for 20,000 tons or 40,000 b.d.u. (bone chips).
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 145 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos River** Mile: PWD: 44
 Name: **Southern Oregon Marine Yard Slip.**
 Location: Eastside, left bank of Coos River, 0.4 mile below junction with Catching Slough. Datum: MLLW
 Operator: Southern Oregon Marine, Inc.
 Owner: Sause Brothers Ocean Towing Co.
 Address: 1746 Coos River Highway Phone:
 Town: Eastside State: OR County: Coos
 Railway Connection: None.
 Purpose: Mooring barges for repair.
 Depth Alongside (feet): 3 - 4 | 3 - 4 | 3 - 4 Latitude (decimal):
 Total Berthing Space (feet): 200 | 135 | 150 Longitude (decimal):
 Remarks: Bulkhead extends approximately 80 feet below and 50 feet above mouth of slip, providing additional berthing along river bank.□
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90912 Dock Code: 027 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Coos River** Mile: PWD: 45
 Name: **Southern Oregon Marine Yard Wharf.**
 Location: Eastside, left bank of Coos River, 0.2 mile below junction with Catching Slough. Datum: MLLW
 Operator: Southern Oregon Marine, Inc.
 Owner: Sause Brothers Ocean Towing Co.
 Address: 1746 Coos River Highway Phone:
 Town: Eastside State: OR County: Coos
 Railway Connection: None.
 Purpose: Mooring vessels and barges for outfitting and repair; occasional mooring of floating drydock.
 Depth Alongside (feet): 14 | | Latitude (decimal):
 Total Berthing Space (feet): 590 | | Longitude (decimal):
 Remarks: One 2,000-ton capacity marine railway located at lower side and at rear of wharf. One 42-ton, diesel-electric, traveling, full-portal gantry crane with 120-foot boom serves marine railway and adjacent welding shop as office at rear. Occasionally vessels are loaded on 1,000-ton capacity floating drydock at Mid-Coast Marine Oregon Corp. West yard (Ref. No. 32), and drydock is towed to wharf where repairs are performed.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90912 Dock Code: 027 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Isthmus Slough** Mile: PWD: 43
 Name: **Coos Head Timber Co., McKenna Mill Wharf.**
 Location: Bunker Hill, right bank of Isthmus Slough, 0.2 mile above Newport Avenue Bridge Datum: MLLW
 (State Highway 241).
 Operator: Coos Head Timber Co., McKenna Lumber & Plywood Division.
 Owner: Coos Head Timber Co., McKenna Lumber & Plywood Division.
 Address: Phone:
 Town: Bunker Hill State: OR County: Coos
 Railway Connection: None.
 Purpose: Shipment of lumber and plywood by barge (See Remarks.)
 Depth Alongside (feet): 22 | | Latitude (decimal):
 Total Berthing Space (feet): 200 | | Longitude (decimal):
 Remarks: Log conveyor formerly used for receipt of rafted logs. Lumber mill and plywood plant located adjacent to north side of wharf were not in operation at time of survey (1985).
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 755 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 5
Name: **Bandon Fisheries Dock.**
Location: Charleston, West side of South Slough; Between middle and south long commercial craft piers, outer secti Datum: MLLW
Operator: Bandon Fisheries, division of International Multifoods.
Owner: Oregon International Port of Coos Bay.
Address: 4710 Kingfisher Drive Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Receipt of fish.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.344568
Total Berthing Space (feet): 100 | | Longitude (decimal): -124.3222
Remarks: Office and storage shed on wharf. ☐☐
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 11
Name: **Charleston Drydock Wharf.**
Location: Charleston, east side of South Slough; North bank of Joe Ney Slough, approximately 250 feet above mouth. Datum: MLLW
Operator: Charleston Drydock, Inc.
Owner: James Parsons.
Address: Hanson Landing. Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Mooring floating drydock and vessels for repair.
Depth Alongside (feet): 5 | | Latitude (decimal): 43.334454
Total Berthing Space (feet): 130 | | Longitude (decimal): -124.3165
Remarks: One 300-ton floating drydock moored at upper part of face. Wharf is equipped with compressed air, gas, water, and electric lines for vessel repair work. Two sheds on upper end of wharf and approach and building machine and welding shops for repair of various types of small vessels.
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 3
Name: **Charleston Small Boat Basin, Commercial Craft Piers.**
Location: Charleston, west side of South Slough; Outer section, Charleston Small Boat Basin. Datum: MLLW
Operator: Oregon International Port of Coos Bay.
Owner: Oregon International Port of Coos Bay.
Address: Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Mooring fishing boats and pilot boats.
Depth Alongside (feet): 8 - 14 | 8 - 10 | 8 - 14 Latitude (decimal): 43.345865
Total Berthing Space (feet): 5820 | Longitude (decimal): -124.3212
Remarks: Pilots boats, operated by Coos Bay Towboat Co., moor at end of northern pier.□□
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 6
Name: **Coos Bay Independent Ice Dock.**
Location: Charleston, West side of South Slough; South end of outer section Charleston Small Boat Basin. Datum: MLLW
Operator: Coos Bay Independent Ice Co. and Rainier Sea Food Co.
Owner: Oregon International Port of Coos Bay.
Address: Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Receipt of fish products, icing fishing boats.
Depth Alongside (feet): 17 | 14 | Latitude (decimal): 43.344459
Total Berthing Space (feet): 90 | 40 | Longitude (decimal): -124.3215
Remarks: Office and ice house on dock.□□
Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 8
Name: **Hallmark Fisheries Dock.**
Location: Charleston, South Slough; West side of South Slough, approximately 250 feet north of Cape Arago Highway Datum: MLLW
Operator: Point St. George Fisheries d.b.a. Hallmark Fisheries.
Owner: Point St. George Fisheries d.b.a. Hallmark Fisheries.
Address: 5030 Bayview Avenue. Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Receipt of fish; icing fishing boats.
Depth Alongside (feet): 8 | | Latitude (decimal): 43.340167
Total Berthing Space (feet): 350 | | Longitude (decimal): -124.3207
Remarks: Two wooden buildings on wharf are used for processing, freezing, and canning fish. □
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 024 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 12
Name: **Hanson's Moorage Outfitting Dock.**
Location: Charleston, east side of South Slough; North bank of Joe Ney Slough, approximately 400 feet above mouth. Datum: MLLW
Operator: Hanson's Moorage, Inc.
Owner: Hanson's Moorage, Inc.
Address: Hanson's Landing. Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair; launching small vessels.
Depth Alongside (feet): 3 - 6 | | Latitude (decimal): 43.335025
Total Berthing Space (feet): 150 | | Longitude (decimal): -124.3154
Remarks: □ □
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **South Slough** Mile: PWD: 10
 Name: **Kelley Boat Works Mooring.**
 Location: Charleston, east side of South Slough; Approximately 300 feet south of Cape Arago Highway Bridge. Datum: MLLW
 Operator: Kelley Boat Works, Inc.
 Owner: Kelley Boat Works, Inc.
 Address: 5125 Troller Road. Phone:
 Town: Charleston State: OR County: Coos
 Railway Connection: None.
 Purpose: Mooring vessels for repair.
 Depth Alongside (feet): 6 | | Latitude (decimal): 43.338018
 Total Berthing Space (feet): 100 | | Longitude (decimal): -124.3188
 Remarks: One 20-, one 30-, two 35-, and one 80-ton marine railways (Nos. 1 to 5) are located below pier and one 100-ton marine railway (No. 6) is located above pier. Buildings at rear used as shops for repair and construe types of small vessels.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
 Waterway: **South Slough** Mile: PWD: 7
 Name: **Ocean Fresh Seafood Co. Wharves.**
 Location: Charleston, South Slough; West side of South Slough, approximately 600 feet north of Cape Arago Highway Datum: MLLW
 Operator: Niel Spencer d.b.a. Ocean Fresh Seafood Co.
 Owner: Niel Spencer d.b.a. Ocean Fresh Seafood Co.
 Address: Phone:
 Town: Charleston State: OR County: Coos
 Railway Connection: None.
 Purpose: Upper wharf: not used; lower Wharf: mooring fishing boats.
 Depth Alongside (feet): 8 | 6 | 8 Latitude (decimal): 43.341474
 Total Berthing Space (feet): 50 | 50 | 250 Longitude (decimal): -124.3205
 Remarks: Formerly used for receipt of fish. Fish processing plant located in rear of upper wharf had burned and wharves and equipment were for sale at time of survey.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **South Slough** Mile: PWD: 1
 Name: **Point Adams Packing Co. and Hillstrom Marine Service, Charleston D**
 Location: Charleston, west side of South Slough; Charleston Small Boat Basin, south side of outer end of breakwater Datum: MLLW
 Operator: Point Adams Packing Co., a division of Point St. George Fisheries, Inc. and Hillstrom
 Owner: Oregon International Port of Coos Bay.
 Address: 7114 Alaska Packers Road Phone:
 Town: Charleston State: OR County: Coos
 Railway Connection: None.
 Purpose: Receipt of fish; icing fishing boats; fueling commercial and recreational craft.
 Depth Alongside (feet): 5 | 5 Latitude (decimal): 43.347504
 Total Berthing Space (feet): 111 | 100 Longitude (decimal): -124.3212
 Remarks: Hillstrom Marine Service is equipped with 6 metered pumps, served by three 2- and one 1-inch pipelines extending from 5 underground storage tanks, total capacity 26,500 gallons.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
 Waterway: **South Slough** Mile: PWD: 9
 Name: **TAP Fisheries Wharf.**
 Location: Charleston, South Slough; East side of South Slough, approximately 250 feet north of Cape Arago Highway Datum: MLLW
 Operator: TAP Fisheries, Inc.
 Owner: TAP Fisheries, Inc.
 Address: 5105 Cape Arago Highway. Phone:
 Town: Charleston State: OR County: Coos
 Railway Connection: None.
 Purpose: Receipt of fish; mooring fishing boats.
 Depth Alongside (feet): 12 | 8 Latitude (decimal): 43.340064
 Total Berthing Space (feet): 480 | 980 Longitude (decimal): -124.3190
 Remarks: Fish-processing and canning plant in rear.□□
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 2
Name: **Tom Lazio Fish Co., Charleston Wharf.**
Location: Charleston, west side of South Slough; Charleston Small Boat Basin, south side of outer end of breakwater Datum: MLLW
Operator: Tom Lazio Fish Co., Inc., Charleston/Coos Bay Division.
Owner: Tom Lazio Fish Co., Inc., Charleston/Coos Bay Division.
Address: 7801 Alaska Packers Road Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Receipt of fish; icing fishing boats.
Depth Alongside (feet): 5 | | 3 Latitude (decimal): 43.347411
Total Berthing Space (feet): 64 | | 25 Longitude (decimal): -124.3223
Remarks: ☐☐
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port: **Coos Bay/Columbia R.**
Waterway: **South Slough** Mile: PWD: 4
Name: **U.S. Coast Guard Charleston Moorings.**
Location: Charleston, west side of South Slough; Between middle and south long commercial craft piers, outer secti Datum: MLLW
Operator: U.S. Coast Guard.
Owner: Oregon International Port of Coos Bay.
Address: Foot of Guano Rock Boulevard. Phone:
Town: Charleston State: OR County: Coos
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 43.345066
Total Berthing Space (feet): 4 | 225 | Longitude (decimal): -124.3219
Remarks: Offices and shops of U.S. Coast Guard 13th District, Coos Bay Station, located in rear. ☐
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 38
 Name: **Coos Bay City Dock.**
 Location: Upper Coos Bay; Coos Bay, west shore, foot of Anderson Avenue East. Datum: MLLW
 Operator: City of Coos Bay.
 Owner: City of Coos Bay.
 Address: Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks in rear of property.
 Purpose: Mooring miscellaneous vessels.
 Depth Alongside (feet): 20 | | Latitude (decimal):
 Total Berthing Space (feet): 150 | | Longitude (decimal):
 Remarks: □□

Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 189 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 41
 Name: **Coos Bay Docks Wharf.**
 Location: Upper Coos Bay; Bunker Hill, south shore, below junction with Isthmus Slough. Datum: MLLW
 Operator: Coos Head Timber Co. d.b.a. Coos Bay Docks.
 Owner: Georgia-Pacific Corp.
 Address: Phone:
 Town: Bunker Hill State: OR County: Coos
 Railway Connection: None.
 Purpose: Shipment of finished lumber, plywood, and paper products; receipt of general conventional and containerized cargo.
 Depth Alongside (feet): 35 | | Latitude (decimal):
 Total Berthing Space (feet): 726 | | Longitude (decimal):
 Remarks: Face of wharf is in line and contiguous with Ref. No. 40 providing 1,226 feet of continuous breasting space and 1,326 feet of berthing space. An additional 115,000 net square feet of covered storage space is available timber dovred, former lumber mill building in rear. Approximately 20 acres of open lumber storage area in rear.

Year of Last Survey: 1986 Corps of Engnrs Waterway Code: 90911 Dock Code: 201 Portland District

Port Series No. 33
Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Upper Coos Bay** Mile: PWD: 36
Name: **Coos Bay Towboat Co. Wharf.**
Location: Coos Bay, west shore of Upper Coos Bay; Above foot of Park Avenue East extended. Datum: MLLW
Operator: Coos Bay Towing Co.
Owner: Coos Bay Towing Co.
Address: Phone:
Town: Coos Bay State: OR County: Coos
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 30 | | Latitude (decimal):
Total Berthing Space (feet): 85 | | Longitude (decimal):
Remarks: Tugs used as pilot boats, 'Cape Arago', 'Coos Bay', and 'North Bend', moor at wharf. At time of survey (1985), operator planned to move wharf to foot of Birch Avenue East, above Ref. No. 34.
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 184 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Upper Coos Bay** Mile: PWD: 40
Name: **Georgia Pacific Corp., Coos Bay Wood Chip Dock.**
Location: Upper Coos Bay; Bunker Hill, south shore, approximately 600 feet above junction Datum: MLLW
with Coalbank Slough.
Operator: Georgia-Pacific Corp. and Coos Head Timber Co. d.b.a. Coos Bay Docks.
Owner: Georgia-Pacific Corp.
Address: Phone:
Town: Bunker Hill State: OR County: Coos
Railway Connection: One surface track in rear of storage area connects with tracks of Southern Pacific Transportation Co.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 35 | | Latitude (decimal):
Total Berthing Space (feet): 500 | | Longitude (decimal):
Remarks: Face of wharf is in line and contiguous with Ref. No. 41 providing 1,226 feet of continuous breasting space and 1,326 feet of berthing space. One truck dumper in rear can handle approximately 8 trucks per hour. storage area at rear has capacity for 130,000 b.d.u.
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 201 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 35
 Name: **Knutson Towboat Co. Wharf.**
 Location: Coos Bay, west shore of Upper Coos Bay; Foot of Alder Avenue East extended. Datum: MLLW
 Operator: Knutson Towboat Co. and Knutson Diesel and Machine Ship, Inc.
 Owner: Knutson Towboat Co.
 Address: 400 North Front Street Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks in rear of property.
 Purpose: Mooring company-owned vessels and mooring vessels for repair.
 Depth Alongside (feet): 28 | 28 | 28 Latitude (decimal):
 Total Berthing Space (feet): 110 | 60 | 50 Longitude (decimal):
 Remarks: Building in rear of upper end used as office and for storing supplies. Building in rear of lower end used as machine, welding, and hydraulics shops by Knutson Diesel and Machine Shop, Inc. Operator has four bar four crawler cranes. Equipment is available for handling cargo at facilities in harbor.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 183 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 42
 Name: **Mid-Coast Marine Oregon Corp., East Yard Mooring.**
 Location: Upper Coos Bay; Eastside, north shore below junction with Isthmus Slough. Datum: MLLW
 Operator: Mid-Coast Marine Oregon Corp.
 Owner: Lewis Lee.
 Address: 530 Whitty Street. Phone:
 Town: Eastside State: OR County: Coos
 Railway Connection: None.
 Purpose: Mooring vessels awaiting repair.
 Depth Alongside (feet): 25 | 25 | Latitude (decimal):
 Total Berthing Space (feet): 75 | 145 | Longitude (decimal):
 Remarks: A 150-ton-capacity, side-launch marine railway is located between piers. Machine shop located in rear. □
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 39
 Name: **Portland Dock.**
 Location: Upper Coos Bay; Bunker Hill, south shore, east side of junction with Coalbank Slough. Datum: MLLW
 Operator: Al Peirce Lumber Co.
 Owner: Al Peirce Lumber Co.
 Address: Phone:
 Town: Bunker Hill State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks in rear of property.
 Purpose: Shipment of logs.
 Depth Alongside (feet): 36 | | Latitude (decimal):
 Total Berthing Space (feet): 576 | | Longitude (decimal):
 Remarks: Approximately 15 acres of open storage area in rear used for storing logs. Logs are handled for Xylo Corp. Face of wharf is contiguous with Ref. No. 40. □
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 196 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 37
 Name: **Sause Bros. Wharf.**
 Location: Upper Coos Bay; Coos Bay, west shore, above foot of East Market Street extended. Datum: MLLW
 Operator: Sause Bros. Ocean Towing Co.
 Owner: Sause Bros. Ocean Towing Co.
 Address: 151 East Market Street Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks in rear of property.
 Purpose: Mooring company-owned vessels.
 Depth Alongside (feet): 20 | | Latitude (decimal):
 Total Berthing Space (feet): 600 | | Longitude (decimal):
 Remarks: Building at rear of lower wharf used as office and building between wharves used as repair shop. At time of survey (1985), plans called for construction of bulkhead with solid fill along bank behind wharf.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 187 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Upper Coos Bay** Mile: PWD: 34
 Name: **Southern Oregon Marine Machine and Engine Shop Wharf.**
 Location: Coos Bay, west shore of Upper Coos Bay; Above foot of Cedar Avenue East extended. Datum: MLLW
 Operator: Not operated.
 Owner: Power Transmission, Inc.
 Address: 820 North Front Street Phone:
 Town: Coos Bay State: OR County: Coos
 Railway Connection: Southern Pacific Transportation Co. tracks in rear of property.
 Purpose: Not used.
 Depth Alongside (feet): 15 | | Latitude (decimal):
 Total Berthing Space (feet): 268 | | Longitude (decimal):
 Remarks: Formerly used for mooring vessels for repair. Wharf in deteriorated condition at time of survey (1985).
 Southern Oregon Marine, Inc. Machine and engine shop located at rear.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90911 Dock Code: 180 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 47
 Name: **Cape Perpetua Seafoods Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 0.25 mile above U.S. Highway 101 bridge. Datum: MLLW
 Operator: Cape Perpetua Seafoods and Charters Co., a subsidiary of Allan Care Centers, Inc.
 Owner: Cape Perpetua Seafoods and Charters Co., a subsidiary of Allan Care Centers, Inc.
 Address: 839 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish.
 Depth Alongside (feet): 20 | | Latitude (decimal): 44.626533
 Total Berthing Space (feet): 40 | | Longitude (decimal): -124.0558
 Remarks: Fish processing building on wharf at rear. □ □
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 50
 Name: **Depoe Bay Fish Co. Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 100 feet below foot of Alder Street. Datum: MLLW
 Operator: Depoe Bay Fish Co.
 Owner: Depoe Bay Fish Co.
 Address: 617 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish, icing and fueling fishing vessels.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 44.629022
 Total Berthing Space (feet): 90 | Longitude (decimal): -124.0540
 Remarks: One 1 1/4-inch pipeline extends to wharf from truck unloading connections and fuel storage tank in rear, total capacity 1,000 gallons. □
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 960 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 54
 Name: **Newport Shrimp Co. Pier.**
 Location: Newport, north shore of Yaquina Bay; Foot of Hatfield Drive. Datum: MLLW
 Operator: Newport Shrimp Co.
 Owner: Newport Shrimp Co.
 Address: 219 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of seafood, icing and fueling fishing vessels.
 Depth Alongside (feet): 10 | 6 - 10 | 6 - 10 Latitude (decimal): 44.630872
 Total Berthing Space (feet): 40 | 90 | 80 Longitude (decimal): -124.0512
 Remarks: One metered pump on wharf is served by 2-inch line from 10,000-gallon storage tank at rear. Seafood processing and cold storage buildings along lower side of pier and at rear.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 951 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 48
 Name: **Oregon Coast Seafoods Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 0.3 mile above U.S. Highway 101 bridge. Datum: MLLW
 Operator: Oregon Coast Seafoods, Inc.
 Owner: Oregon Coast Seafoods, Inc.
 Address: 761 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish; icing fishing vessels.
 Depth Alongside (feet): 12 | | Latitude (decimal): 44.627435
 Total Berthing Space (feet): 369 | | Longitude (decimal): -124.0554
 Remarks: Fish processing building at rear on wharf. ☐ ☐
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 961 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 58
 Name: **Oregon State University Marine Science Center Wharf.**
 Location: South Beach, south shore of Yaquina Bay; Approximately 0.7 mile above U.S. Highway 101 bridge. Datum: MLLW
 Operator: Oregon State University.
 Owner: Oregon State University.
 Address: Phone:
 Town: South Beach State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Mooring oceanographic research vessels.
 Depth Alongside (feet): 18 | | Latitude (decimal): 44.625695
 Total Berthing Space (feet): 240 | | Longitude (decimal): -124.0451
 Remarks: Oregon State University Oceanographic research vessel 'Wecoma' moors at wharf. ☐ ☐
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 51
 Name: **Point Adams Packing Co. Newport Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 200 feet above foot of Alder Street. Datum: MLLW
 Operator: Point Adams Packing Co.
 Owner: Point Adams Packing Co.
 Address: 411 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish, icing fishing vessels.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 44.629297
 Total Berthing Space (feet): 237 | | Longitude (decimal): -124.0537
 Remarks: Fish processing building at rear on wharf. ☐ ☐
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 959 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 55
 Name: **Port of Newport Commercial Craft Basin Moorings.**
 Location: Newport, north shore of Yaquina Bay; Between foot of Hatfield Drive & John Moore Road, approximately 0.7 Datum: MLLW
 Operator: Port of Newport.
 Owner: Port of Newport.
 Address: 600 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Mooring, fueling, and handling supplies for fishing boats and tugs.
 Depth Alongside (feet): 10 - 14 | 10 - 14 | 10 Latitude (decimal): 44.630811
 Total Berthing Space (feet): 350 | 150 | 100 Longitude (decimal): -124.0463
 Remarks: Metered pumps on service dock. Building in rear of service dock used as office by Port of Newport. ☐
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code:

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 49
 Name: **Tom Lazio Fish Co. Newport Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 200 feet below foot of Alder Street, 0.4 mile above U Datum: MLLW
 Operator: Tom Lazio Fish Co., Inc.
 Owner: Neill Miester.
 Address: 623 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish.
 Depth Alongside (feet): 15 | 15 | Latitude (decimal): 44.628625
 Total Berthing Space (feet): 135 | 55 | Longitude (decimal): -124.0543
 Remarks: Building on float used as office.□□
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code:

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 46
 Name: **U.S. Coast Guard Yaquina Bay Station Moorings.**
 Location: Newport, north shore of Yaquina Bay; Approximately 0.2 mile above U.S. Highway 101 bridge. Datum: MLLW
 Operator: U.S. Coast Guard.
 Owner: United States Government.
 Address: 541 S.W. Naterlin Drive Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Mooring and repairing U.S. Coast Guard vessels.
 Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 44.626109
 Total Berthing Space (feet): 2 | 48 | 55 Longitude (decimal): -124.0561
 Remarks: Lower 150 feet of offshore wharf is concrete pile, concrete-decked with walkway approach. Twin 55-by 4-foot concrete piers, 18 feet apart, for mobile, vertical boat lift located at lower end. A masonry boat ma is located on lower section. Upper 80-feet of wharf is concrete and timber pile, part asphalt-survaced timber-decked, with 24- by 25-foot approach. U.S. Coast Guard Yaquina Bay Station located in rear.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 962 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 52
 Name: **Yaquina Bay Fish Co. Wharf.**
 Location: Newport, north shore of Yaquina Bay; Approximately 300 feet above foot of Alder Street. Datum: MLLW
 Operator: Yaquina Bay Fish Co.
 Owner: Yaquina Bay Fish Co.
 Address: 367 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Receipt of fish.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 44.629816
 Total Berthing Space (feet): 120 | | Longitude (decimal): -124.0529
 Remarks: Fish processing and cold storage buildings at rear on wharf.□□
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 956 Portland District

Port: **Coos Bay/Columbia R.**
 Waterway: **Yaquina Bay** Mile: PWD: 53
 Name: **Yaquina Ice & Cold Storage Dock.**
 Location: Newport, north shore of Yaquina Bay; Approximately 200 feet below foot of Hatfield Drive, 0.6 mile above Datum: MLLW
 Operator: Yaquina Ice & Cold Storage, Inc., and Depoe Bay Fish Co.
 Owner: U.S. Bancorp.
 Address: 254 S.W. Bay Boulevard Phone:
 Town: Newport State: OR County: Lincoln
 Railway Connection: None.
 Purpose: Yaquina Ice & Cold Storage, Inc: icing fishing vessels. Depoe Bay Fish Co.: occasional receipt of fish.
 Depth Alongside (feet): 10 | 6 - 10 | 6 - 10 Latitude (decimal): 44.630441
 Total Berthing Space (feet): 35 | 115 | 85 Longitude (decimal): -124.0519
 Remarks: Building on float used as office by Depoe Bay Fish Co. Fish processing and cold storage building used by Yaquina Ice & Cold Storage, Inc., at rear on wharf. Upper side of Pier forms slip 15 feet wide and 85 fee Ref. No. 54.
 Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 954 Portland District

Port Series No. 33

Coos Bay, OR and Ports on Columbia-Snake River System

Port: **Coos Bay/Columbia R.**
Waterway: **Yaquina Bay** Mile: PWD: 57
Name: **Yaquina Terminals East Wharf.**
Location: Newport, north shore of Yaquina Bay; McLean Point, approximately 1.3 miles above U.S. Highway 101 bridge Datum: MLLW
Operator: Port of Newport.
Owner: Port of Newport.
Address: 1430 S.E. Bay Boulevard Phone:
Town: Newport State: OR County: Lincoln
Railway Connection: None.
Purpose: Receipt and shipment of lumber and logs.
Depth Alongside (feet): 25 - 34 | | Latitude (decimal): 44.625551
Total Berthing Space (feet): 97 | | Longitude (decimal): -124.0323
Remarks: Lower side of wharf forms upper part of face of Ref. No. 56. Two mast-and-boom derricks are removed when open apron is required. Operator uses open storage area described under Ref. No. 56.
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 930 Portland District

Port: **Coos Bay/Columbia R.**
Waterway: **Yaquina Bay** Mile: PWD: 56
Name: **Yaquina Terminals West Wharf.**
Location: Newport, north shore of Yaquina Bay; McLean Point, approximately 1.2 miles above U.S. Highway 101 bridge Datum: MLLW
Operator: Port of Newport.
Owner: Port of Newport.
Address: 1430 S.E. Bay Boulevard Phone:
Town: Newport State: OR County: Lincoln
Railway Connection: None.
Purpose: Receipt and shipment of lumber and logs.
Depth Alongside (feet): 34 | | Latitude (decimal): 44.625181
Total Berthing Space (feet): 580 | | Longitude (decimal): -124.0346
Remarks: Upper side of timber wharf forms lower part of face of Ref. No. 57. Operator uses transit shed described under Ref. No. 57. Approximately 26 acres of open storage area in rear. Building used as office in rear
Year of Last Survey: 1986 Corps of Engrs Waterway Code: 90947 Dock Code: 930 Portland District
